

A 199

PRODUCTION OF SPINEL

Patent Number: JP2000086234
Publication date: 2000-03-28
Inventor(s): HIBINO TOSHIYUKI; TSUNASHIMA GUN
Applicant(s):: AGENCY OF IND SCIENCE & TECHNOL
Requested Patent: ☐ JP2000086234 (JP00086234)
Application Number: JP19980262868 19980917
Priority Number(s):
IPC Classification: C01F7/00
EC Classification:
Equivalents: JP2981553B2

Abstract

PROBLEM TO BE SOLVED: To provide a method for producing a spinel at a lower temperature than that used at the time of producing the spinel with a conventional technique comprising solid phase reaction of Al_2O_3 with MgO or thermal decomposition of a coprecipitate and also to provide a precursor for the spinel production.

SOLUTION: This production comprises: subjecting a precursor for the spinel production, that consists of a hydrotalcite-like compound, to thermal decomposition at 350 to 500 deg.C to convert the precursor into an oxide, wherein the precursor is represented by the formula $Mg_{1-x}Al_x(OH)_2A_a \cdot bH_2O$ A is an inorganic anion releasable from the compound at the time of calcining it at 350 to 500 deg.C; (x) is a numerical value of 1/5 to 1/3; (a) is a numerical value that meets the formula $a=x/n$ (n is a valence of the anion A); and (b) is an indefinite number); thereafter, immersing the resulting oxide in water or an aq. solution contg. inorganic anions equivalent to the inorganic anions A in the above formula to regenerate a compound having the hydrotalcite-like compound structure from the oxide; again calcining the regenerated compound at 350 to 500 deg.C, or when no spinel is formed at this point of time, further repeating the regeneration of a hydrotalcite-like compound and the calcination of the regenerated hydrotalcite-like compound at 350 to 500 deg.C until the objective spinel is formed; and thereafter, eluting and removing byproduct magnesium oxide from the regeneration/ calcination product with an acidic aq. solution.

Data supplied from the esp@cenet database - I2